

timken automotive bearings size chart mm

Our company offers different timken automotive bearings, timken automotive bearing catalog pdf, timken bearings, timken wheel bearings at Wholesale Price?Here, you can get high quality and high efficient timken automotive bearings

Automotive Aftermarket Bearing and Seal Application Catalog Consult TIMKEN's entire Automotive Aftermarket Bearing and Seal Application While Timken is known for its top-quality bearings, the company also has an

Timken - Auto Parts Warehouse Sep 23, 2016 - The company was originally known as The Timken Roller Bearing and Axle Company, as manufacturing roller bearings was the company's Timken - Advance Auto Parts Save on Timken parts with great deals at Advance Auto Parts. Buy online, pick up in-store in 30 minutes

@@@@@@@@								
	b	d	F	B	S	K	D	H1
1657-RS	-	22 mm	-	-	-	-	28 mm	-
S61700-2	-	-	-	-	-	-	-	-
Z								
6013-2RS	-	1.5000 in	-	1.94 in	-	-	-	-
F605	-	2 in	-	-	-	-	2-1/4 in	-
P6908-SB	-	-	-	2.1890 in	-	-	-	-
KP6	-	1/2 in	-	-	-	-	-	-
UC209-3L	-	100 mm	-	30 mm	-	-	130 mm	-
61907-2R	-	-	-	-	-	-	56 mm	-
S								
GYE70-K	-	1 in	-	-	-	-	1-1/8 in	-
RRB								
SS	-	5/8 in	-	-	-	-	13/16 in	-
6000-2RS								
CSCA047	-	-	-	-	-	-	2.5000 in	-
B25-214	-	-	-	-	-	-	-	-
6844-RZ	-	1.7500 in	-	-	-	-	-	-
RB206-18	-	1.3125 in	-	-	-	-	-	-
87609	-	2.3750 in	-	-	-	-	5.121 in	-
ER205	-	-	-	-	-	-	6.2500 in	-
6921-2RS	-	-	-	-	-	-	-	-
6910L11-	-	-	-	9.2500 in	-	-	-	-
H-20								
4210	-	25mm	-	-	-	-	47mm	-
6936AZ	-	-	-	1.5625 in	-	-	100 mm	-
R2ZZ	-	-	-	-	-	-	6.5000 in	-
61832M	-	3/4 in	-	-	-	-	1 in	-
KGC080	-	90 mm	-	20 mm	-	-	97 mm	-

P6009-SB	-	1.6250 in	-	-	-	-	-	-
UK308G2 H	-	2.0000 in	-	1.9370 in	-	-	4.1250 in	-
RMS11	-	30mm	-	13mm	-	-	-	-
608/800	-	90 mm	-	2.0625 in	-	-	160 mm	-
F604HZZ	-	30 mm	-	16 mm	-	-	-	-
6408	-	60mm	-	23.75mm	-	-	110mm	-
61816	-	-	-	-	-	-	-	-
6207-Z- NR	-	4 in	-	-	-	-	7 in	-
6309-Z	-	30 mm	-	32 mm	-	-	-	-
63009-2R S	-	-	-	46mm	-	-	180mm	-
6002	-	110mm	-	50mm	-	-	-	-
6010ZZ	-	7.0000 in	-	-	-	-	11.3750 in	-
61960	-	1/8 in	-	-	-	-	3/16 in	-
16011	-	-	-	56 mm	-	-	86 mm to 105 mm	-
UC307	-	2.3750 in	-	2.5630 in	-	-	4.3307 in	-
MF106	-	1.2500 in	-	-	-	-	-	-
6213-RS1	-	-	-	-	4.763 mm	-	-	250.825 mm
6009	-	-	-	1.3750 in	-	-	80 mm	-
6017N	-	130mm	-	75mm	-	-	230mm	-
KUC060 2RD	-	-	-	-	-	-	-	-
RA202RR	-	50mm	-	23mm	-	-	90mm	-
6219-2RS	-	2mm	-	1.5mm	-	-	5mm	-
6018ZZ	-	0.4375 in	-	-	-	-	-	-
6416	-	-	-	-	-	-	2.1250 in	-
6211NR	-	1.0000 in	-	3.7500 in	-	-	3.0000 in	-
S61803-2 Z	-	-	-	-	-	-	-	-
EN 16	-	130 mm	-	-	-	-	-	-
9134K	-	3.4375 in	-	-	-	-	14 to 15 in	-
6020-2RS R	-	12 mm	-	-	-	-	-	-
681	-	-	-	-	-	-	-	-
6302	-	-	-	21mm	-	-	80mm	-
BL 305 ZZ	-	-	-	5.5625 in	-	-	4.5938 in	-
634H	-	65mm	-	18mm	-	-	100mm	-
6019-RS	-	190mm	-	104mm	-	-	320mm	-
KLNJ3/8-2 Z	-	1.1875 in	-	-	-	-	-	-
6903ZZ	-	2.9375 in	-	-	-	-	7.8125 to 8.4375 in	-

S1623-2R	-	-	-	-	-	-	26 mm	-
S	-	-	-	-	-	-	-	-
1654	-	-	-	-	-	-	-	-
6207-ZNR	-	4.5000 in	-	-	-	-	-	-
SFR2-5-T	-	30 mm	-	28 mm	-	-	80 mm	-
I	-	-	-	-	-	-	-	-
MLF5010	-	3.0000 in	-	-	-	-	-	-
6209-2Z	-	-	-	-	-	-	4.4140 in	-
UC314-44	-	4.0000 in	-	-	-	-	-	-
6012-RS2	-	75mm	-	37mm	-	-	160mm	-
6002FT15	16.7 mm	-	449 mm	-	-	9 mm	600.19 mm	-
QZZ	-	-	-	-	-	-	-	-
MF52	-	-	-	-	-	-	-	-
S6000-2R	-	15 mm	-	-	-	-	35 mm	-
SR	-	-	-	-	-	-	-	-
6300NR	-	3/16 in	-	-	-	-	1/4 in	-
6218/C3V	-	3.3950 in	-	-	-	-	-	-
L0241	-	-	-	-	-	-	-	-
NA205	-	-	-	8 mm	-	-	-	-
207KRRB	-	3.0000 in	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-
S61813	-	3.9375 in	-	10.8800 in	-	-	-	-
6403	-	8.1200 in	-	8.7500 in	-	-	11.2500 in	-
S61921-2	-	-	-	-	-	-	-	-
RS	-	-	-	-	-	-	-	-
FL618/8	-	9/16 in	-	-	-	-	-	-
UC204	-	1.9375 in	-	-	-	-	3-45/64 in	-
S6209-2Z	-	50 mm	-	-	-	-	-	-
4306-2RS	-	1.5000 in	-	-	-	-	-	-
S6300-2R	-	180 mm	-	96 mm	-	-	300 mm	-
S	-	-	-	-	-	-	-	-
SMN215K	-	85 mm	-	28 mm	-	-	-	-
S	-	-	-	-	-	-	-	-
6217-2RS	-	50mm	-	27mm	-	-	-	-
R	-	-	-	-	-	-	-	-
6903-RS	-	-	-	-	-	-	-	-
KH204AE	-	2.4375 in	-	-	-	-	-	-
LJ1.1/2-N	-	15 mm	-	-	-	-	-	-
R	-	-	-	-	-	-	-	-
6936	-	-	-	1-17/32 in	-	-	3-3/4" to	-
6204ZZ	-	-	-	4.2500 in	-	-	-	-

Timken TechTips Technical Training Resources | The TimkenLV4 Wheel Bearing Replacement. Steps for replacing wheel bearings in passenger cars and light trucks. LV5 Symptoms of a Worn Wheel Hub Bearing

Automotive Light and Commercial Vehicles | The TimkenTimken works with global automotive leaders and commercial vehicle manufacturers Tricks of the Trade: Tips for Replacing Press-in Style Wheel Bearings Timken Online Parts Catalog - ShowMeThePartsShowMeTheParts is changing how the world finds replacement parts for their vehicles

@@@@@				
NACHI	NSK	Timken	SKF	IKO
ZARF 50115 L TN	UCP207-21	UCECH206	UCFCX06	7017DF
NATB 5904	UCTU313-800	UCPX15	UCFL318-56	SEA45 /NS 7CE1
ZARN2062-TV	UCT210-30	UCFL 210-30	UCF308	PW40730055CSH D
NAXI 1730	RCJTY30-N	UCFL312	BP206	7326 A-UX
RAX 420	UCT316	UCP212-36	SY 1.5/8 TF	7014 ACB/P4A
NKX50	EST204	RMEY60-N	UCFX15-47	DAC4583CS62
NKIA5904A	UCFL 205-15	UCF307	UCTU316+WU500	7313
RAX 515	RATY30	UCC324	UCFS328	7007 C-UX
NX 12	UCIP213	UCTX11	UCT206	E 275 /S/NS /S 7CE1
ZARF 70160 L TN	RCJTY1-11/16	UKC309H	RCJ1	SS7207 CD/P4A
NKXR45T2+IR40x 45x20	RHE35	NANFL205-16	KGHK06-B-PP-AS	7301
NKXR 50 Z	PCJ55	UGP206	Im48548	PW43770046/42C SHD
NKXR40-Z	UCFA210-32	EXF218	UCPA206	7220 CDF
NBXI 2530Z	UCTX13	NAP210-30	RCJT17	7204T2G/GNP4
ZARN 3080 L TN	UCCX09	UCFL308	7324 BDB	71834 CTBP4
NATA 5903	PCJT40-N	EXSP204	5308	7209C
NKIA5902A	UCFA209	UCSFL208H1S6	7301BDF	7864
ZARN 55115 L TN	BLP208-24	UCPX14-44	BAH-0032	S71906 CB/P4A
NX 17 Z	UCFC207	UCTU318-700	S3202	LJT 1/2
NKIB 5902	USSP202	NAPK206	S71904 ACE/P4A	71916 C-UO
ZARN 2062 L TN	UCC208-24	FYRP 1 11/16	B7022-E-T-P4S	HCB7219-C-T- P4S
ZARF 50140 TN	UCC309	UCTX13E	7415 ADB	3306 ZZ
FY 1.1/4 FM	ESPH207	UKT309+H2309	7324BDB	7015 A-UX
EXPA202	UCF206-18	PFT 1.1/2 TR	E 217 7CE1	IJ132022
EXFCE207	UCFK209	RCJO60	7032F	7319 B-UX
UCFS310	UKPK322+H2322	UCFC207-22	7009 ACB/P4A	VEB 45 /S 7CE1
UCFC209-26	UCT203	UCT201E	QJ309FM	TGB35112
USFEE207	UKP305H	ESFLZ202	Q234	VEX 45 /S 7CE1
EXPA206	UCC209	UCFX10-31	7048A	HB40 /S 7CE3
UXPX11-36	UCTU317-500	UCT208-24E	5S-7924UCG/GNP 42	7940CDF
UCT314	UCF315-48	UCF216E	7311WN	SEA15 /NS 7CE1
PASEY60-N	PASEY1-3/16	UKFS312H	7004CDF	IJ113040
USFLE205	UCF203E	UCTX07-23	VEX 10 7CE3	7048 B-UO

NAPK208	SYJ 55 KF+HA 2311	UKFE218H	SEA160 7CE1	7001 ADT
UCFS308	UFL004	UKFC216	7322-BECB-TVP	Q1030
UCFX14-44E	UCFCX20-63	RAT15	HX80 /S/NS 7CE3	F-208940.2
UCFA205-16	UCFL212-39	UCFX17	7209	719/8 ACE/HCP4A
FYT 1.15/16 TF	UCF 208-24E	USFC204	BD20-15T12DDW	7038 A-UX
PBS35	PHEY30	RCJT35-N	7328	7814CDB
UCFL206-18E	ER209	FYRP 2 7/16	HSS7020-C-T-P4S	QJ 212 N2PHAS
NANFL207-21	UCP212-39	FY 1.1/8 FM	HAR019CA	B71922-E-2RSD-T- P4S
UCF216	USPFT205	NAP204-12	3220	SF08A67
UCCX05-16	UCFE213	UCFCX05	7309-BECB-MP	3303-2RS
UCF211-34E	UKP315+H2315	EXFCE214	7209C	E 207 /NS 7CE3
KHPFL206A	UCFX07-22E	EXFE213	3807-B-2RSR- TVH	PW42820040CSH D
UCFA204	USFEE206	EXF205	B71904-C-T-P4S	E 255 /S 7CE1
EXC312	BLFL3J	UCP210	HB90 /S/NS 7CE3	ZA-39BWD09
EXPE213	UCFCX12E	S5PPB2ST	3203	VEB 35 7CE3
UCFL202E	RSAO50-N	USF211	ML71912HVUJ74 S	E 285 /S/NS 7CE1
NAPK211-35	UCFL319	UCT210E	E 275 /S/NS 7CE1	7204 ADB
PSHEY17	UCHA205-15	UCTU209-500	VEX 100 /NS 7CE1	7007CDB
UCP319	UCCX12	UCFS306	ACT020DB	LJT12
FYR 2 7/16-18	USP201	UCFC212	Q1014	QJ 228
UCFL 210G5PL	UKPE215H	BPFL2	SA0019	3211
UCFL208-24E	UCTU209-800	RCJO100	7911UCP4	5307
UCPX05	SBPP206-18	UCPH203	IJ113020	5207EEG15
UCP218	UCFB203	ESPF212	QJ 311 N2MA	7011AC
UCPA201	UCCX08	UCFL 205-16G5PL	B7211-E-2RSD-T- P4S	7226BDB
EXFL319	NAP213-40	UCFL324	HCB71916-C-T- P4S	30BWK18
KHPF205A	UKT211H	NAPK204-12	IJ122017	7034DB
UCFA207-22	P 85 R-1.1/2 FM	UCP320-63	HSS7018-E-T-P4S	7324BDT
UCTH207-20-230	FLCTE40	UCFL215-48	QJ309	7300 B
BPFL6	UCFL211-35E	UCTX08-24E	IJ132001	PW49900545CSE
RASEL45	SBPFL206-18	MUP002	DAC35720027	HCS71901-E-T- P4S
FYR 3 7/16	ESFTE210	UCFL 201-8G5PL	PW39/41750037C S	IJ123041
PF 40 RM	RSHE35-N	UCF217	QJ307-TVP	ZKLR1035-2Z
USPG211	UCP315SC	UCFC206	7322DT	TGB12095.S46
SYJ 3/4 TF	UCFC215	EXC206	E 225 /S/NS /S 7CE3	E 240 7CE1
UCPA201-8	ESPAE204	UCFCX13-40	IJ112015	SEA40 7CE3

UKT207H	UCFCX07-22E	UCF218	VEB 45 /NS 7CE3	LJT 1
UCPX12-39	UCFLX06-20	USPF203	7001 CDF	7004C
FY 1.15/16 FM	UCC205-15	TASE20-N	7209 CDF	7832CDB
UCFL320-64	NANF210-31	UCPE206	IJ123027	71924 CDB
PMEY25-N	SBPP205-14	UCFA205	30BER29XV1V	QJ330
UCP204	UP004	NANFL203	3310A	SEA50 7CE3
RRTR35	MUP000	UCP 201	7308 BDF	7320DB
RCJ60-N	LASE20-N	NAP207-22	S728 CD/P4A	E 275 /S/NS 7CE3
SY 1. TF/VA228	UCC208	UCCX06-20	7217DE	7212 CTBP4
UCFCX05-16	UCFS312	UCP326	7303CDT	71802 CD/HCP4
EXC308	UCF204-12E	RASE35-N-FA125	KJA110 RD	IJ122011
UKF309	UCC202	USFL000S6	S7003 CE/HCP4A	HCB7201-C-T-P4S
UCT214	UCTX15	NANFL207	MLE7001HVUJ74 S	7302 A-UX
UCC311-32	UCFC218	KSR16-L0-08-10-1 8-16	HB95 /S 7CE3	MLE7005HVUJ74 S
UCP328	RASE25-N-FA125	UCF216-50E	7002 CDT	7017 ACD/HCP4A
UCF202-10E	RCJL40-N	UKFL310H	7312B	71921 ATBP4
RCJ45-FA125	-	UCTH205-150	5206	7018DB
UCFC216	-	SY 1.3/4 TF/VA201	71907 C	S7020 ACE/P4A
EXEHE207	-	UCPA213	65TAH10DB	B7034-C-T-P4S
-	-	RSHE50-N	QJ 319 N2	PHU2203
-	-	EXPH203	H71930AC	3200-2RS
-	-	PCFTR20	-	ML71910CVUJ74 S
-	-	UCFC210-32	-	7203DE
-	-	UKP306	-	QJ328
-	-	UCFL208-24	-	7834C
-	-	KSR16-L0-08-10-1 6-08	-	QJM 2.1/4
-	-	UCFA208-24	-	DAC42840037
-	-	UCF320	-	7022
-	-	ESFA203	-	5209-2RS
-	-	NANF211-32	-	-
-	-	ESFC210	-	-
-	-	UCFCX10-31E	-	-
-	-	UCF308	-	-
-	-	EXC313	-	-

Timken[register] Premium Wheel Hub Units | The Timken units to improve the efficiency, safety and reliability of automotive applications. Engineered premium bearings for extended life and improved fuel efficiency Timken Parts, Timken Bearings & Catalog | Car PartsResults 1 - 15 of 6163 - The company's Timken wheel bearing is a direct replacement to broken or leaky factory device. It is a tapered type of bearing, an automotive

Timken - 1A Autolf you are shopping for Timken branded automotive parts for your car or truck, different categories, including wheel hubs and bearings, differential bearings, Automotive Aftermarket Bearing Specification Guide - TIMKENConsult TIMKEN's entire Automotive Aftermarket Bearing Specification Guide Use this catalog as a reference when you are selecting bearings for specific