




NTN Bearing Manufacturing

INA RASEL45 bearing units



RASEL45 Bearing 2D drawings and 3D CAD models

Bearing No. RASEL45

Bore Diameter	45 mm
d	45 mm
S1	25,5 mm
Thread (Q)	Rp1/8
A	48 mm
A1	32 mm
B	42,9 mm
H	54 mm
H1	21,5 mm
H2	107 mm
J	150 mm
L	192 mm
N	14 mm
N1	29 mm
Weight	2,1 Kg
Basic dynamic load rating (C)	32,5 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	2.4
EAN	4012802801149
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Drive Slot
Housing Style	2 Bolt Pillow Block



NTN Bearing Manufacturing

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Relubricatable	Yes
Insert Part Number	GLE45KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Non Locating Bearing
Long Description	2 Bolt Pillow Block; 45MM Bore; 54MM Base to Center Height; Drive Slot Mount; Ball Bearing; 136.5MM Minimum Bolt Spacing; 160.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding Ru
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	RASEL45
Weight / LBS	5.292
Bolt Spacing Maximum	6.319 Inch 160.5Millimeter
Base to Center Height	2.126 Inch 54 Millimeter
Bolt Spacing Minimum	5.374 Inch 136.5Millimeter
Nominal Bolt Center to Center	5.8 Inch 146.5 Millimeter
Bore	1.772 Inch 45 Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter



NTN Bearing Manufacturing

Length Thru Bore	2.217 Inch 56.3 Millimeter
------------------	------------------------------