




# NTN Bearing Manufacturing

25 mm x 38 mm x 30 mm INA NKI25/30 needle roller bearings



Bearing No. NKI25/30

NKI25/30 Bearing 2D drawings and 3D CAD models

Size	25x38x30 mm
Bore Diameter	25 mm
Outer Diameter	38 mm
Width	30 mm
d	25 mm
D	38 mm
B	30 mm
F	29 mm
$r_{min}$	0,3 mm
s	1,5 mm / Axial displacement
m	124 g / Weight
$C_r$	37000 N / Dynamic load rating (radial)
$C_{Or}$	57000 N / Static load rating (radial)
$C_{ur}$	10600 N / Fatigue limit load, radial
$n_G$	15300 1/min / Limiting speed
$n_B$	8400 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A



## NTN Bearing Manufacturing

Weight / Kilogram	0.12
EAN	4012802405699
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	25MM Bore; 38MM Outside Diameter; 30MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Separable; No
Other Features	Plain Inner Ring   2 Rib Outer Ring   Radial Precision   Steel Cage   Ground Raceway with Rib   Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>



## NTN Bearing Manufacturing

Manufacturer Item Number	NK125/30
Weight / LBS	0.273
Outside Diameter	1.496 Inch   38 Millimeter
Bore	0.984 Inch   25 Millimeter
Width	1.181 Inch   30 Millimeter